

BB4GL Variables in the BB.UTIL.IBP USER.NAMEDCOMMONMARKS code snippet

These variables are set by the BB.UTIL COMMONMARKS4 subroutine at logon. They may be used, and renamed, as long as the /BB.MARKS/ name remains the same. The values can be changed, with caution. This item can then be included in the top of any program needing to access these global variables. Multiple copies may be made using different variable names, for instance, for different program modules. These can be used for purposes similar to SYSTEM() variables and @ variables.

/BB.MARKS1/	The name of the common block.
BB.HARDWAY(26)	Screen caching counters.
BB.MARKS(400)	Array of variables equated below.
BB.LISTS(100)	Lists for future use with BB.TCL
BB.USER(10)	User-definable variables.
RV TO BB.MARKS(1)	When displayed, turns reverse video on.
RVON TO BB.MARKS(1)	When displayed, turns reverse video on.
RVOFF TO BB.MARKS(3)	When displayed, turns reverse video
off.	
UNLON TO BB.MARKS(4)	When displayed, turns underline on.
UNLOFF TO BB.MARKS(5)	When displayed, turns underline off.
HALFON TO BB.MARKS(6)	When displayed, turns half intensity
on.	
HALFOFF TO BB.MARKS(7)	When displayed, turns half intensity
off.	
BPF TO BB.MARKS(8)	When displayed, begins protected field.
EPF TO BB.MARKS(9)	When displayed, ends protected field.
CLS TO BB.MARKS(10)	When displayed, clears the screen.
CTB TO BB.MARKS(11)	When displayed, clears to bottom of
screen.	
CLL TO BB.MARKS(12)	When displayed, clears current line.
HOME TO BB.MARKS(13)	When displayed, puts the cursor at 0,0
BBSS TO BB.MARKS(14)	When displayed, moves the cursor left.
EL TO BB.MARKS(15)	Clears the bottom 2 lines of screen,
sounds bell.	
ELC TO BB.MARKS(16)	Clears the bottom 2 lines of the
screen.	
T80 TO BB.MARKS(17)	Returns to 80-column screen mode.
T132 TO BB.MARKS(18)	Changes to 132 or extended-column
screen mode.	
WHO TO BB.MARKS(19)	Port space Account name
PORT TO BB.MARKS(20)	Port number
USERACC TO BB.MARKS(21)	Logon account
FILE.ERR TO BB.MARKS(22)	'File Not Opened.' message
TODAY TO BB.MARKS(23)	Today's date in internal format
SLAVEON TO BB.MARKS(24)	Turns slave printer on.
SLAVEOFF TO BB.MARKS(25)	Turns slave printer off.
TERMTYPE TO BB.MARKS(26)	Terminal type.

OSTYPE TO BB.MARKS(27)	Operating system/RDBMS type (See
BB.PARAM OSTYPE)	underlying account name, i.e. BB4GL
REALACCT TO BB.MARKS(28)	???
USERPARAMS TO BB.MARKS(29)	Brown foreground color
F.BROWN TO BB.MARKS(30)	White foreground color
F.WHITE TO BB.MARKS(31)	Red foreground color
F.RED TO BB.MARKS(32)	Magenta foreground color
F.MAGENTA TO BB.MARKS(33)	Yellow foreground color
F.YELLOW TO BB.MARKS(34)	Green foreground color
F.GREEN TO BB.MARKS(35)	Cyan foreground color
F.CYAN TO BB.MARKS(36)	Blue foreground color
F.BLUE TO BB.MARKS(37)	Brown background color
B.BROWN TO BB.MARKS(38)	White background color
B.WHITE TO BB.MARKS(39)	Black background color
B.BLACK TO BB.MARKS(40)	Red background color
B.RED TO BB.MARKS(41)	Blue background color
B.BLUE TO BB.MARKS(42)	Cyan background color
B.CYAN TO BB.MARKS(43)	Magenta background color
B.MAGENTA TO BB.MARKS(44)	Turns on terminal graphics
BOXON TO BB.MARKS(45)	Turns off terminal graphics
BOXOFF TO BB.MARKS(46)	Horizontal graphic character
HORIZ TO BB.MARKS(47)	Vertical graphic character
VERT TO BB.MARKS(48)	T-shaped graphic character
TEE TO BB.MARKS(49)	Bottom-left corner graphic character
BOTLEFT TO BB.MARKS(50)	Upper-left corner graphic character
UPPERLEFT TO BB.MARKS(51)	Upper-right corner graphic character
UPPERRIGHT TO BB.MARKS(52)	Left-cross graphic character
LEFTCROSS TO BB.MARKS(53)	Right-cross graphic character
RIGHTCROSS TO BB.MARKS(54)	Cross graphic character
CROSS TO BB.MARKS(55)	Upside-down T-shaped graphic character
REVTEE TO BB.MARKS(56)	Double-horizontal graphic character
DBLHORIZ TO BB.MARKS(57)	Double-vertical graphic character
DBLVERT TO BB.MARKS(58)	Solid block graphic character
BLOCKOUT TO BB.MARKS(59)	Dark haze graphic block character
DHAZE TO BB.MARKS(60)	Light haze graphic block character
LHAZE TO BB.MARKS(61)	Bottom-right graphic character
BOTRIGHT TO BB.MARKS(62)	Underlying account name of home office
UTIL.HOMEOFFICE TO BB.MARKS(63)	account
OPENDRAWER TO BB.MARKS(64)	Opens the cash register drawer.
PROCPORT TO BB.MARKS(65)	User port # in the form nnnP
TERMMODEL TO BB.MARKS(66)	Terminal model, i.e. WYSE50, ADDSVP
MAXSCREENS TO BB.MARKS(67)	Maximum# of cached screens for this
terminal model	
SCREEN.NO TO BB.MARKS(68)	Cached screen #
BREAK.OR.PRINT TO BB.MARKS(69)	For UltPlus TRAP ON THEN CALL, whether
to break or print	
TCL.SENTENCE TO BB.MARKS(70)	Trimmed SENTENCE() or @SENTENCE
TANDEM.PORT TO BB.MARKS(71)	Initiating port of a Tandem operation
SPASFILE TO BB.MARKS(72)	File variable for BB.SP-AS.MENTS
PARAMFILE TO BB.MARKS(73)	File variable for BB.PARAM
DACCFILE TO BB.MARKS(74)	File variable for DICT ACC
CTRLFILE TO BB.MARKS(75)	File Variable for CONTROL
HELPCFILE TO BB.MARKS(76)	File variable for BB.HELP.FILE

INITSPOOLER TO BB.MARKS(77)	???
HELP.FILENAME TO BB.MARKS(78)	File name for BB.UTIL.IBP HELPIT
HELP.PRGRM TO BB.MARKS(79)	Program name for BB.UTIL.IBP HELPIT
SCREENFILE TO BB.MARKS(80)	File variable for SCREEN
MDFILE TO BB.MARKS(81)	File variable for MD or VOC
ON.PURVEYOR TO BB.MARKS(82)	Y=running on Purveyor, N=not
VIDEO.OFF TO BB.MARKS(83)	No longer used
VIDEO.ON TO BB.MARKS(84)	No Longer used
EXEC.SEL.LIST TO BB.MARKS(85)	For future use
MOUSE.ON TO BB.MARKS(86)	Turns on AccuTerm mouse
MOUSE.OFF TO BB.MARKS(87)	Turns off AccuTerm mouse
BLINKON TO BB.MARKS(88)	Turns on blinking text
BLINKOFF TO BB.MARKS(89)	Turns off blinking text
RVON.BLINKON TO BB.MARKS(90)	Turns on reverse video blinking text
RVOFF.BLINKOFF TO BB.MARKS(91)	Turns off reverse video blinking text
RVON.UNLON TO BB.MARKS(92)	Turns on reverse underline text
RVOFF.UNLOFF TO BB.MARKS(93)	Turns off reverse underline text
ASP TO BB.MARKS(94)	Y=running as Application Service Provider, N=not
LISTFILE TO BB.MARKS(95)	POINTER-FILE or &SAVEDLISTS& etc.
PATH.TO.EXCEL TO BB.MARKS(96)	Default path to MS Excel
PATH.TO.MSACCESS TO BB.MARKS(97)	Default path to MS Access
PATH.TO.MSWORD TO BB.MARKS(98)	Default path to MS WinWord
PATH.TO.NOTEPAD TO BB.MARKS(99)	Default path to MS Notepad
PATH.TO.WORDPAD TO BB.MARKS(100)	Default path to MS WordPad
DAUTHFILE TO BB.MARKS(101)	DICT AUTH file variable
AUTHFILE TO BB.MARKS(102)	AUTH file variable
AUTHORIZATION.NAME TO BB.MARKS(103)	BB4GL Logon ID
AUTHREC TO BB.MARKS(104)	Security flags
ENTRYCONTROL TO BB.MARKS(105)	See BB.PARAM ENTRYCONTROL
GLOBAL.DEBUG TO BB.MARKS(106)	See BB.PARAM GLOBAL.DEBUG
DISCONNECT TO BB.MARKS(107)	Y=disconnect at logoff, see BB.PARAM
DEFAULT.DISCONNECT and DICT AUTH.S	DISCONNECT
F.SETNAME TO BB.MARKS(108)	???
EXECUTE.AUDIT.FILE TO BB.MARKS(109)	File variable for EXECUTE audits
EXECUTE.AUDIT TO BB.MARKS(110)	Y=audit EXECUTE commands
SEQ2FILE TO BB.MARKS(111)	SEQUENCES file variable
EXTENDED.WIDTH TO BB.MARKS(112)	Width of screen in extended mode
EXTENDED.DEPTH TO BB.MARKS(113)	Depth of screen in extended mode
USE.ACCUTERM.SUI TO BB.MARKS(114)	Obsolete
BXON TO BB.MARKS(115)	Turns on terminal graphics mode
BXOFF TO BB.MARKS(116)	Turns off terminal graphics mode
RSON TO BB.MARKS(117)	Underline on
RSOFF TO BB.MARKS(118)	Underline off
LON TO BB.MARKS(119)	Obsolete
LOFF TO BB.MARKS(119)	Obsolete
INPUT.AUDIT TO BB.MARKS(120)	Y=turn on audit of data input
INPUT.AUDIT.FILE TO BB.MARKS(121)	File variable for INPUT.AUDIT
ACCUTERM.SUI.ESC.SEQUENCE TO BB.MARKS(122)	Obsolete
NORM.EXTD TO BB.MARKS(123)	N=80 column screen, E=extended
OVERRIDES.AUDIT TO BB.MARKS(124)	Y=audit password overrides
OVERRIDES.AUDIT.FILE TO BB.MARKS(125)	OVERRIDES AUDIT file variable
BYEXP TO BB.MARKS(126)	EQ=used for standard Pick, WHEN=Prime
NOSTOP TO BB.MARKS(127)	Y=can't used F10=STP to quit program

UPD.COLOR TO BB.MARKS (128)	AccuTerm Color# for UDate
RRM.COLOR TO BB.MARKS (129)	AccuTerm Color# for Report Writer
MENU.COLOR TO BB.MARKS (130)	AccuTerm Color# for Menus
SPOOLER.COLOR TO BB.MARKS (131)	AccuTerm Color# for Spooler Menus
DEFAULT.COLOR TO BB.MARKS (132)	AccuTerm Color# for Default
SALES.COLOR TO BB.MARKS (133)	AccuTerm Color# for Sales
PURCH.COLOR TO BB.MARKS (134)	AccuTerm Color# for Purchasing
AR.COLOR TO BB.MARKS (135)	AccuTerm Color# for A/R
AP.COLOR TO BB.MARKS (136)	AccuTerm Color# for A/P
GL.COLOR TO BB.MARKS (137)	AccuTerm Color# for G/L
PLANT.COLOR TO BB.MARKS (138)	AccuTerm Color# for Plant Operations
MIS.COLOR TO BB.MARKS (139)	AccuTerm Color# for MIS programs
PROC.COLOR TO BB.MARKS (140)	AccuTerm Color# for Procs
PRICE.COLOR TO BB.MARKS (141)	AccuTerm Color# for Pricing
PURGE.COLOR TO BB.MARKS (142)	AccuTerm Color# for Purge programs
REBATE.COLOR TO BB.MARKS (143)	AccuTerm Color# for Rebate programs
REBUILD.COLOR TO BB.MARKS (144)	AccuTerm Color# for Rebuild programs
ANALYSIS.COLOR TO BB.MARKS (145)	AccuTerm Color# for Analysis programs
START.MUSIC TO BB.MARKS (146)	AccuTerm music script to startup
STOPIT.MUSIC TO BB.MARKS (147)	AccuTerm music script for stopping
ACCUTERM.MUSIC TO BB.MARKS (148)	AccuTerm music to launch MS Office
BACK.BLACK TO BB.MARKS (149)	AccuTerm Color# for black background
BACK.DBLUE TO BB.MARKS (150)	AccuTerm Color# for dark blue
background	
BACK.DGREEN TO BB.MARKS (151)	AccuTerm Color# for dark green
background	
BACK.TURQ TO BB.MARKS (152)	AccuTerm Color# for turquoise
background	
BACK.DRED TO BB.MARKS (153)	AccuTerm Color# for Red background
BACK.PURP TO BB.MARKS (154)	AccuTerm Color# for Purple background
BACK.OLIVE TO BB.MARKS (155)	AccuTerm Color# for Olive background
BACK.LGRAY TO BB.MARKS (156)	AccuTerm Color# for Light Gray
background	
BACK.DGRAY TO BB.MARKS (157)	AccuTerm Color# for dark Gray
background	
BACK.BLUE TO BB.MARKS (159)	AccuTerm Color# for Blue Background
BACK.GREEN TO BB.MARKS (160)	AccuTerm Color# for Green Background
BACK.CYAN TO BB.MARKS (161)	AccuTerm Color# for Cyan Background
BACK.RED TO BB.MARKS (162)	AccuTerm Color# for Red Background
BACK.MAGENTA TO BB.MARKS (163)	AccuTerm Color# for Magenta Background
BACK.YELLOW TO BB.MARKS (164)	AccuTerm Color# for Yellow Background
BACK.WHITE TO BB.MARKS (165)	AccuTerm Color# for White Background
FORE.BLACK TO BB.MARKS (166)	AccuTerm Color# for Black Foreground
FORE.DBLUE TO BB.MARKS (167)	AccuTerm Color# for Dark Blue
Foreground	
FORE.DGREEN TO BB.MARKS (168)	AccuTerm Color# for Dark Green
Foreground	
FORE.TURQ TO BB.MARKS (169)	AccuTerm Color# for Turquoise
Foreground	
FORE.DRED TO BB.MARKS (170)	AccuTerm Color# for Dark Red Foreground
FORE.PURP TO BB.MARKS (171)	AccuTerm Color# for Purple Foreground
FORE.OLIVE TO BB.MARKS (172)	AccuTerm Color# for Olive Foreground
FORE.BLUE TO BB.MARKS (173)	AccuTerm Color# for Blue Foreground
FORE.GREEN TO BB.MARKS (174)	AccuTerm Color# for Green Foreground

FORE.CYAN TO BB.MARKS(175)	AccuTerm Color# for Cyan Foreground
FORE.RED TO BB.MARKS(176)	AccuTerm Color# for Red Foreground
FORE.MAGENTA TO BB.MARKS(177)	AccuTerm Color# for Magenta Foreground
FORE.YELLOW TO BB.MARKS(178)	AccuTerm Color# for Yellow Foreground
FORE.WHITE TO BB.MARKS(179)	AccuTerm Color# for White Foreground
BACK.LGREY TO BB.MARKS(180)	AccuTerm Color# for Light Grey
Background	
BACK.DGREY TO BB.MARKS(181)	AccuTerm Color# for Dark Grey
Background	
FORE.LGREY TO BB.MARKS(182)	AccuTerm Color# for Light Grey
Foreground	
FORE.DGREY TO BB.MARKS(183)	AccuTerm Color# for Dark Grey
Foreground	
RVON.HALFON TO BB.MARKS(184)	Turns Reverse/ Half Intensity video on
RVOFF.HALFOFF TO BB.MARKS(185)	Turns Reverse/ Half Intensity video off
RVON.BLINKON.HALFON TO BB.MARKS(186)	Turns Reverse/ Half Intensity /
Blink video on	
RVOFF.BLINKOFF.HALFOFF TO BB.MARKS(187)	Turns Reverse/ Half Intensity
video off	
UNLON.HALFON TO BB.MARKS(188)	Turns Underline / Half Intensity video
on	
UNLOFF.HALFOFF TO BB.MARKS(189)	Turns Underline / Half Intensity video
on	
UNLON.BLINKON TO BB.MARKS(190)	Turns Underline / Blink video on
UNLOFF.BLINKOFF TO BB.MARKS(191)	Turns Underline / Blink video off
UNLON.RVON TO BB.MARKS(192)	Turns Underline / Reverse video on
UNLOFF.RVOFF TO BB.MARKS(193)	Turns Underline / Reverse video off
UNLON.RVON.HALFON TO BB.MARKS(194)	Turns Underline / Reverse / Half
Intensity video on	
UNLOFF.RVOFF.HALFOFF TO BB.MARKS(195)	Turns Underline / Reverse video
off	
HALFON.BLINKON TO BB.MARKS(196)	Turns Underline / Blink video on
HALFOFF.BLINKOFF TO BB.MARKS(197)	Turns Underline / Blink video off
HALFON.UNLON.BLINKON TO BB.MARKS(198)	Turns Half Intensity / Underline
/ Reverse video on	
HALFOFF.UNLOFF.BLINKOFF TO BB.MARKS(199)	Turns Half Intensity /
Underline / Blink video off	
HALFON.UNLON.BLINKON.RVON TO BB.MARKS(200)	Turns Half Intensity /
Underline / Blink video on	
HALFOFF.UNLOFF.BLINKOFF.RVOFF TO BB.MARKS(201)	Turns Half Intensity
/ Underline / Blink video off	
COLOR.OFF TO BB.MARKS(202)	Turns any color off
SUI.OR.GUI TO BB.MARKS(203)	S=use SUI for other apps, G=use GUI
SUI.OR.GUI.DOCED TO BB.MARKS(204)	S=use SUI for document editing, G=GUI
SUI.OR.GUI.SCROLL TO BB.MARKS(205)	S=use SUI for scrolling editing, G=GUI
SUI.OR.GUI.RPT TO BB.MARKS(206)	S=use SUI for report writer, G=GUI
VALID.FQN TO BB.MARKS(207)	Obsolete
TCL.CAPTURE.FLAG TO BB.MARKS(208)	Used in conjunction with .P option in
STACKER to capture EXECUTEd commands in TCL stacker	
TCL.CNT TO BB.MARKS(209)	# of commands to keep in STACKER stack
DCTSTACKFILE TO BB.MARKS(210)	DICT STACK file variable
STACKFILE TO BB.MARKS(211)	STACK file variable
CNTRLS TO BB.MARKS(212)	CONTROLS item in DICT STACK file for
this user	

BB TO BB.MARKS(213)	Printer Bold on
UU TO BB.MARKS(214)	Printer Underline on
II TO BB.MARKS(215)	Printer Italics on
FONTS TO BB.MARKS(216)	For future use
FONT.SCRIPTS TO BB.MARKS(217)	For future use
BCOLORS TO BB.MARKS(218)	For future use
BCOLOR.SCRIPTS TO BB.MARKS(219)	For future use
FCOLORS TO BB.MARKS(220)	For future use
FCOLOR.SCRIPTS TO BB.MARKS(221)	For future use
PTR.CHARACTERISTICS TO BB.MARKS(222)	L=laser, else not
PTR.FILE TO BB.MARKS(223)	BB.PRINTER.CHARACTERISTICS file
variable	
PNO TO BB.MARKS(224)	Printer #
BBO TO BB.MARKS(225)	Printer bold off
UUO TO BB.MARKS(226)	Printer underline off
IIO TO BB.MARKS(227)	Printer italics off
BCO TO BB.MARKS(228)	Printer background colors off
FCO TO BB.MARKS(229)	Printer foreground colors off
POINTO TO BB.MARKS(230)	Printer Point size
FONTO TO BB.MARKS(231)	Printer Font off
REMAKE.SCREEN TO BB.MARKS(232)	Y=remake screen from screen download
when out of cashed screens	
FONT.NUMBERS TO BB.MARKS(233)	Printer font numbers
L.COLOR.ON TO BB.MARKS(234)	Printer color on
L.CYAN TO BB.MARKS(235)	Printer Cyan print
L.MAGENTA TO BB.MARKS(236)	Printer Magenta print
L.BLUE TO BB.MARKS(237)	Printer Blue print
L.YELLOW TO BB.MARKS(238)	Printer Yellow print
L.GREEN TO BB.MARKS(239)	Printer Green print
L.RED TO BB.MARKS(240)	Printer Red print
L.BLACK TO BB.MARKS(241)	Printer Black print
SOFTWARE.NAME TO BB.MARKS(242)	Name of current software application,
see BB.PARAM SOFTWARE.NAME	
MACRO TO BB.MARKS(243)	Current macro
MACRO.NAME TO BB.MARKS(244)	Current macro name
MACRO.ON TO BB.MARKS(245)	1=macro running
MACROS TO BB.MARKS(246)	???
MACRO.POS TO BB.MARKS(247)	Position in current macro
MACRO.RECORD TO BB.MARKS(248)	1=currently recording a macro
ACCFILE TO BB.MARKS(249)	ACC file variable
BANK.ROUND TO BB.MARKS(250)	Flag to indicate state of Banker's
Rounding	
BB.LIST.POS TO BB.MARKS(251)	For future use
BB.LIST.MAX TO BB.MARKS(252)	For future use
BB.LIST.PRESENT TO BB.MARKS(253)	For future use
BB.LIST.NAMES TO BB.MARKS(254)	For future use
DEF.LGT TO BB.MARKS(255)	Default length for EDINPUT5
DEF.EDLGT TO BB.MARKS(256)	Default length for EDINPUT5
MSE.COL TO BB.MARKS(257)	Mouse column of last click
MSE.ROW TO BB.MARKS(258)	Mouse row of last click
SCR.ROWS.COLS TO BB.MARKS(259)	Cursor positions for screen caching
LAST.COLOR TO BB.MARKS(260)	Last screen color
FORE.LABEL TO BB.MARKS(261)	AccuTerm color script for foreground
label color	

FORE.DATA TO BB.MARKS(262)	AccuTerm color script for foreground data color
SYSTEM.PARAMETERS.FILE TO BB.MARKS(263)	A Ramdata File variable
EMAIL.AUDIT.FILE TO BB.MARKS(264)	BB.EMAIL.AUDIT file variable for server-side e-mails
EMAILBOOK.FILE TO BB.MARKS(265)	BB.EMAILBOOK file variable for server-side e-mails
RRR.SELECT.VAR TO BB.MARKS(266)	Report Writer select variable
RRR.SELECT.PRESENT TO BB.MARKS(267)	Report Writer flag to indicate whether a select list is present
LEAVE.RVON TO BB.MARKS(268)	Y=leave reverse video on after leaving a data entry prompt
BB.ACTIVE TO BB.MARKS(269)	For future use
BB.LISTVAR TO BB.MARKS(270)	For future use
START.BY.NUMBER TO BB.MARKS(271)	See BB.PARAM START.BY.NUMBER, controls numbering in BB.UTIL SCROLL.ANY
EDINPUT.RV TO BB.MARKS(272)	Y=use reverse video in entry fields
BB.LAST.COL.POS TO BB.MARKS(273)	For future use
TCL.CASE.SENSITIVITY TO BB.MARKS(274)	EXECUTE case sensitivity
BB.VALIDVERBS TO BB.MARKS(275)	Valid verbs for STACKER for current user
FWD TO BB.MARKS(276)	Cursor right control code
BREAKFILE TO BB.MARKS(277)	File variable for BB.BREAK.FILE for controlling which programs can use the debugger or stop or log off
REI.PATH TO BB.MARKS(278)	Path to C:\ drive path
USE.BB.LOGON TO BB.MARKS(279)	Y=use GUI BB4GL logon, see BB.PARAM BB.LOGON
INTERNET.ACCESS TO BB.MARKS(280)	Y=current user has internet access, see SP-AS.MENTS INTERNET attribute for current user
EDITOR.INTEGRITY TO BB.MARKS(281)	See BB.PARAM EDITOR.INTEGRITY
SELECTORS TO BB.MARKS(282)	See BB.PARAM SELECTORS
RRM.FORE.LABEL TO BB.MARKS(283)	Report Writer Foreground Label Color #
MENU.FORE.LABEL TO BB.MARKS(284)	Menu Foreground Label Color #
SPOOLER.FORE.LABEL TO BB.MARKS(285)	Spooler Foreground Label Color#
DEFAULT.FORE.LABEL TO BB.MARKS(286)	Default Foreground Label Color#
SALES.FORE.LABEL TO BB.MARKS(287)	Sales Foreground Label Color#
PURCH.FORE.LABEL TO BB.MARKS(288)	Purchasing Foreground Label Color#
AR.FORE.LABEL TO BB.MARKS(289)	A/R Foreground Label Color#
AP.FORE.LABEL TO BB.MARKS(290)	A/P Foreground Label Color#
GL.FORE.LABEL TO BB.MARKS(291)	G/L Foreground Label Color#
PLANT.FORE.LABEL TO BB.MARKS(292)	Plant Operations Foreground Label Color#
MIS.FORE.LABEL TO BB.MARKS(293)	MIS Foreground Label Color #
PROC.FORE.LABEL TO BB.MARKS(294)	PROC Foreground Label Color #
PRICE.FORE.LABEL TO BB.MARKS(295)	Pricing Foreground Label Color#
PURGE.FORE.LABEL TO BB.MARKS(296)	Purge Foreground Label Color#
REBATE.FORE.LABEL TO BB.MARKS(297)	Rebate Foreground Label Color#
REBUILD.FORE.LABEL TO BB.MARKS(298)	Rebuild programs Foreground Label Color#
ANALYSIS.FORE.LABEL TO BB.MARKS(299)	Analysis Foreground Label Color#
RRM.FORE.DATA TO BB.MARKS(300)	Report Writer Foreground Data Color#
MENU.FORE.DATA TO BB.MARKS(301)	Menu Foreground Data Color#
SPOOLER.FORE.DATA TO BB.MARKS(302)	Spooler Foreground Data Color#

DEFAULT.FORE.DATA TO BB.MARKS(303)	Default Foreground Data Color#
SALES.FORE.DATA TO BB.MARKS(304)	Sales Foreground Data Color#
PURCH.FORE.DATA TO BB.MARKS(305)	Purchasing Foreground Data Color#
AR.FORE.DATA TO BB.MARKS(306)	A/R Foreground Data Color#
AP.FORE.DATA TO BB.MARKS(307)	A/P Foreground Data Color#
GL.FORE.DATA TO BB.MARKS(308)	G/L Foreground Data Color#
PLANT.FORE.DATA TO BB.MARKS(309)	Plant Operations Foreground Data
Color#	
MIS.FORE.DATA TO BB.MARKS(310)	MIS Foreground Data Color#
PROC.FORE.DATA TO BB.MARKS(311)	Proc Foreground Data Color#
PRICE.FORE.DATA TO BB.MARKS(312)	Price Foreground Data Color#
PURGE.FORE.DATA TO BB.MARKS(313)	Purge Foreground Data Color#
REBATE.FORE.DATA TO BB.MARKS(314)	Rebate Foreground Data Color#
REBUILD.FORE.DATA TO BB.MARKS(315)	Rebuild Foreground Data Color#
ANALYSIS.FORE.DATA TO BB.MARKS(316)	Analysis Foreground Data Color#
UPD.FORE.LABEL TO BB.MARKS(317)	UPDate Foreground Label Color#
UPD.FORE.DATA TO BB.MARKS(318)	UPDate Foreground Data Color#
CLIPBOARD TO BB.MARKS(319)	BB4GL editing Clipboard
USE.OFFICE.CLIPBOARD TO BB.MARKS(320)	Y=use MS Office Clipboard, see
SP-AS.MENTS USE.OFFICE.CLIPBOARD (att 29)	
HOME.KEY TO BB.MARKS(321)	Ascii sequence # of key used for
Home key in editing	
ALL.KEY TO BB.MARKS(322)	Ascii sequence # of key used for
selecting all text in editing	
TMOUT TO BB.MARKS(323)	Timeout in seconds to go into
screensaver or to log off	
TMOUACTION TO BB.MARKS(324)	Timeout action (screensaver or
logoff)	
SOFTWARE.ICON TO BB.MARKS(325)	Path to software icon
DEF.REI.PATH TO BB.MARKS(326)	Default path to REI on C:\ or
network drive	
CUT.SCRIPT TO BB.MARKS(327)	AccuTerm VBA script used for
finding out where the selected area is	on the screen
ACCUTERM.VERSION TO BB.MARKS(328)	AccuTerm version #
WHERE.PS TO BB.MARKS(329)	See BB.PARAM WHERE.PS
\$INCLUDE BB.UTIL.IBP USER.COMMONEQUS	Holds equates for many programs,
do not alter	